




courtesy of SMC Training International



More than 60 predefined objects



































































Drive the simulations with a real PLC*, an automation workshop** or a virtual controller included in Virtual Universe Pro.



About fifteen ready-to-use examples illustrate the use of the library objects.






The configuration of each object is accessible and editable, this allows you to redefine the characteristics of the objects of the library and to understand how to create your own objects. You can also mix library objects with your own creations created from your usual CAD* software.

^{*}import from Solidworks, Catia, Solid Edge, Inventor, etc. is available with the STANDARD and ULTIMATE versions of Virtual Universe Pro

control panels are used to drive the objects manually and to observe the various associated states. They have the dual purpose of being able to test the functioning of the objects before realizing the program that will use them and also to simulate failures.





All the library objects are compatible with the use of a virtual reality headset. The controllers associated with the vr headset allow a full immersion and interaction.

Specifications

Development Operating System*

Windows XP

Windows Vista

Windows 7

Windows 8

Windows 10

PC Configuration

Nvidia GTX 980 equivalent or higher Intel Core I5 or higher

4 Gb ram or higher

Licence

standalone soft code

or floating license

or web license

VR

Oculus Rift headset

Htc Vive headset and controllers

Mixed realty headsets and controllers

All Steam VR compatible systems

AR

Microsoft Hololens

Android devices

IRAI 17 avenue du 19 mars 1962 30110 La Grand Combe France www.iraifrance.com Tel +33 4 66 54 91 30 contact@irai.com

CAD Import Formats

DS Solidworks**

DS Catia

Autodesk Inventor

Siemens Solid Edge

Import from 3D files

3DXML, OBJ, 3DS, FBX

X, VRML, STL, DXF, SKP

Physic engines

Newton Dynamics

Nvidia Physix

Chrono Engine

Rendering

Realtime, HQ, PBR, Unity 3d

Web Player

WebGI

IE, Chrome, Firefox, Safari

Collaborative cloud simulation

Server on Windows

Web clients on PCs

Web clients on mobile devices

Web clients on Macs

Clients on Windows + VR Headsets

Intergated Simulation Tools

Pneumatic

Hydraulic

Electric

Digital Electronic

Schematic Blocks (Simulink)

Direct PLCs Connections

Siemens S7 IP, MPI, PPI

Siemens S5

Schneider TSX, SoMachine compatible PLCs,

Unity compatibles PLCs, Twido

Beckhoff

Mitsubishi

Rockwell Ethernet IP

CodeSys PLCs compatible

Automgen compatible target (Eg. Arduino)

I/O connection with Advantech cards

PLC protocols

Modbus TCP, SLMP, OPC

PLC simulators interface

Siemens PlcSim

Schneider Unity

Schneider SoMachine

Mhj WinSps

CodeSys

Omron Cx-Simulator

Rockwell SoftLogix

Mitsubishi Gx-Simulator

Software connections

Automgen (all compatible targets)

Matlab Simulink

Labview

Proteus

ABB Robotstudio

Mitsubishi RT-Toolbox2

mBlock

all softwares or programing tools

dll, ip, universal memory access

Integrated programing tools

Ladder

Grafcet

Function blocks

Script (Basic)

C language

^{* 32} or 64 bits

^{**} ability to import constraints